Volume 281 1994

Contents

Letters to the Editor

Resolution of a fossil dust shell around U Hydrae using maximum entropy image reconstruction
Waters L.B.F.M., Loup C., Kester D.J.M., Bontekoe T.R., de Jong T. L1

COMPTEL observations of the Orion complex: evidence for cosmic-ray induced gamma-ray lines
Bloemen H., Wijnands R., Bennett K., Diehl R., Hermsen W., Lichti G., Morris D., Ryan J., Schönfelder V., Strong A.W., Swanenburg B.N., de Vries C., Winkler C. L5

Hydrodynamical simulations of relativistic jets
Martí M^{a}J., Müller E., Ibáñez M^{a}J. L9

Faint blue stars in the core of NGC 6397
De Marchi G., Paresce F. L13

Luminosity dependence of the hardness of the 13-80 keV X-ray spectra of low-mass X-ray binaries
van Paradijs J., van der Klis M. L17

Observational constraints on the inter-binary stellar flare hypothesis for the gamma-ray bursts
Rao A.R., Vahia M.N. L21

A preliminary list of stars from Tycho observations
Halbwachs J.L., Bässgen G., Bastian U., Egret D., Høg E., van Leeuwen F., Petersen C., Schwekendiek P., Wicenec A. L25

Scattered near-IR CO emission bands in GGD27-IRS. Observing the circumstellar environment of heavily obscured young PMS stars
Aspin C. L29

Discovery of near-infrared hydrogen line emission in the peculiar F8 hypergiant IRC+10420
Oudmaijer R.D., Geballe T.R., Waters L.B.F.M., Sahu K.C. L33

Evidence for sudden moderate mixing events in early M giants
Wallerstein G., Morell O. L37

Is Geminga a runaway member of the Orion association?
Smith V.V., Cunha K., Plez B. L41

SN 1987A: emergence of the soft X-ray source
Beuermann K., Brandt S., Pietsch W. L45

Theoretical light curve for a classical nova: nova Cygni 1978
Kato M. L49

A model for Supernova 1993J
Bartunov O.S., Blinnikov S.I., Pavlyuk N.N., Tsvetkov D.Y. L53

NGC 1068: a genuine hidden Seyfert 1 galaxy?
Jourdain E., Collin S., Dennefeld M., Ballet J., Roques J.P., Lebrun F., Mandrou P., Cordier B., Finoguenov A., Churazof E., Gilfanov M., Sunyaev R., Kuleshova N., Sheikhet A., Sukhanov K., Tserenin I. L57

Another supersoft X-ray source in the LMC
Greiner J., Hasinger G., Thomas H.-C. L61

PG 1416-129: a broad absorption line QSO with low intrinsic X-ray absorption
de Kool M., Meurs E.J.A. L65

Instability and eruption of magnetic flux tubes in the solar convection zone
Schüssler M., Caligari P., Ferriz-Mas A., Moreno-Insertis F. L69

Three-dimensional simulation of penetrative convection-penetration above a convection zone
Singh H.P., Roxburgh I.W., Chan K.L. L73

Lithium abundance in a turnoff star of the old globular cluster NGC 6397
Molaro P., Pasquini L. L77

Evidence for violent ejection of nebulae from massive stars
Hutsemékers D. L81

Radio, infrared and X-ray activity of Cygnus X-3
Kitamoto S., Miyamoto S., Waltman E.B, Fiedler R.L., Johnston K.J., Ghigo F.D. L85

Type IIb supernova 1993J in M 81: the explosion of a $\sim 4M_\odot$ star in a close binary system
Utrobin V. L89

Detection of the λ 609 μm line of neutral atomic carbon in the Ring nebula
Bachiller R., Huggins P.J., Cox P., Forveille T. L93

The formation of disk galaxies in a cosmological context: populations, metallicities and metallicity gradients
Steinmetz M., Müller E. L97

Gamma-ray emission from millisecond pulsars
Sturner S.J., Dermer C.D. L101

Cosmology

Large scale structure statistics: finite volume effects
Colombi S., Bouchet F.R., Schaeffer R. 301

Extragalactic astronomy

Study of NGC 4442: a link between bars and boxy bulges
Bettoni D., Galletta G. 1

X-ray reprocessing and UV continuum in AGN: the case of NGC 4151
Perola G.C., Piro L. 7

The asymmetries in radio-source structures. I. A comparison of two classical models
Ryś S. 15

N-body equilibrium figures of early-type galaxies. II. Analysis of orbital populations
Udry S., Martinet L. 314

(RN) The extent of CO in the early-type galaxy NGC 4472
Huchtmeier W.K., Bregman J.N., Hogg D.E., Roberts M.S. 327

The metal systems in Q 0000–2619 at high resolution
Savaglio S., D'Odorico S., Møller P. 331

Properties of UCM 2303+1702, a new seyfert 2 galaxy
Rego M., Zamorano J., Gallego J., Vitores A. 348

The X-ray AGN content of the Molonglo 408 MHz Survey: bulk properties of previously optically identified sources
Brinkmann W., Siebert J., Boller T. 355

Structures of small-size radio galaxies in clusters
Feretti L., Giovannini G. 375

Further observational evidence that MG J0414+0534 is a gravitational mirage
Angonin-Willaime M.-C., Vanderriest C., Hammer F., Magain P. 388

Magnetic field in clusters of galaxies
Carvalho J.C. 641

(RN) 1404+286: a non-ideal calibrator for VLBI observations
Zhang F.J., Bååth L.B., Spencer R.E. 649

A search for active star-forming galaxies with the ESO 1 meter Schmidt telescope
Surace C., Comte G. 653

The distribution of the ultraviolet emission in the disk of Messier 33
Buat V., Vuillemin A., Burgarella D., Milliard B., Donas J. 666

Sensitive limits on the molecular gas content of cluster cooling flows
McNamara B.R., Jaffe W. 673

Cold dust emission from the spiral galaxy NGC 3627
Sievers A.W., Reuter H.-P., Haslam C.G.T., Kreysa E., Lemke R. 681

Configurations and morphology of triple galaxies: evidence for dark matter?
Chernin A.D., Ivanov A.V., Trofimof A.V., Mikkola S. 685

Sub-arcsecond 2D photometry and spectrography of the nucleus of M 31: the supermassive black hole revisited
Bacon R., Emsellem E., Monnet G., Nieto J.L. 691

Radio-far-infrared relation in Markarian galaxies
Marx M., Krügel E., Klein U., Wielebinski R. 718

CO in paired galaxies: star formation induced by gas flow
Combes F., Prugniel P., Rampazzo R., Sulentic J.W. 725

Galactic structure and dynamics

The evolution of abundance gradients in spiral galaxies
Köppen J. 26

The origin of the Gould Belt by the impact of a high velocity cloud on the galactic disk
Comerón F., Torra J. 35

Formation, structure and evolution of stars

Non-axisymmetry vs. axisymmetry in dynamo-excited stellar magnetic fields
Rüdiger G., Elstner D. 46

A comparison of calculated and observed monochromatic type Ia supernova light curves
Müller E., Höflich P. 51

The δ Scuti star BI Canis Minoris (≡ HD 66853): pulsational behaviour and a critical discussion of physical parameter determination
Mantegazza L., Poretti E. 66

Photometric variations of Ap stars
Manfroid J., Renson P. 73

EP Cancri: a nonradially pulsating δ Scuti star in the Praesepe cluster
Breger M., Martin B., Garrido R., Jiang Shi-yang, Li Zhi-ping, Hube D.P., Stich J., Ostermann W., Paparo M. 90

Giant macrospicules as possible sources of the fast solar wind
Loucif M.L. 95

Spectroscopic detection of the spin pulse in GK Persei
Reinsch K. 108

X-ray irradiation of white dwarf atmospheres: the soft X-ray spectrum of AM Herculis
van Teeseling A., Heise J., Paerels F. 119

Rotational-modulation mapping of the active atmosphere of the RS Canum Venaticorum binary HD 106225
Strassmeier K.G. 395

Mixing by internal waves. I. Lithium depletion in the Sun
Montalbán J. 421

Evolutionary status of U Sagittae
Sarna M.J., De Greve J.-P. 433

Location of the emitting regions in the mode-switching radio pulsar PSR 1926+18
Nowakowski L.A. 444

The equation of state in the chemical picture: a grand canonical approach. I. Theory
Luo G. 460

Absolute fluxes for Supernova 1987A. III. Days 158–314
Hanuschik R.W., Kimeswenger S., Gochermann J., Poetzel R., Schnur G.F.O., Werger M. 737

The triple-mode variable AC Andromedae
Kovács G., Buchler J.R. 749

(RN) Optical variability of SAO 91772: a serendipitous X-ray source
Rodonò M., Cutispoto G., Messina S. 756

A statistical study of IUE spectra of dwarf novae. I. Quiescence
Shi-Bing Deng, Zhong-Yong Zhang, Jian-Sheng Chen 759

The nature of the F str λ4077 stars. III. Spectroscopy of the barium dwarfs and other CP stars
North P., Berthet S., Lanz T. 775

The variable λBootis star HD 142994
Weiss W.W., Paunzen E., Kuschnig R., Schneider H. 797

Simultaneous radio and X-ray observations of GX 340+0
Oosterbroek T., Lewin W.H.G., van Paradijs J., van der Klis M., Penninx W., Dotani T. 803

The dwarf nova CZ Orionis in outburst
Spogli C., Claudi R.U. 808

Erratum Study of nova shells. I. V 1229 Aquilae (1970): nebular expansion parallax and luminosity
Della Valle M., Duerbeck H.W. 967

Stellar atmospheres

Atmospheric models of flare stars: the quiescent state of AD Leonis
Mauas P.J.D., Falchi A. 129

(RN) A search for variability in the IRAS-LRS spectra of long period variables
Hron J., Aringer B. 139

Raman scattered emission lines in symbiotic stars: a spectropolarimetric survey
Schmid H.M., Schild H. 145

Radio emission from stars: a survey at 250 GHz
Altenhoff W.J., Thum C., Wendker H.J. 161

Non-LTE spectral analyses of Wolf-Rayet stars: the nitrogen spectrum of the WN6 prototype HD 192163 (WR136)
Hamann W.-R., Wessolowski U., Koesterke L. 184

A search for SiO, OH, CO and HCN radio emission from silicate-carbon stars
Little-Marenin I.R., Sahai R., Wannier P.G., Benson P.J., Gaylard M., Omont A. 451

The chemical composition of the s-Cepheids. I. α Ursae Minoris (Polaris) and HR 7308 (V 473 Lyrae): unique Cepheids of the Galaxy
Andrievsky S.M., Kovtyukh V.V., Usenko I.A. 465

Optical/ultraviolet excess in stochastic winds of T Tauri stars
Mitskevich A.S. 471

Long-term luminosity variations and period changes in V 471 Tauri
İbanoğlu C., Keskin V., Akan M.C., Evren S., Tunca Z. 811

Model atmospheres for Vega
Castelli F., Kurucz R.L. 817

A study of the luminous blue variable candidate He 3–519 and its surrounding nebula
Smith L.J., Crowther P.A., Prinja R.K. 833

Chromospheric activity in G and K giants and their rotation-activity relation
Strassmeier K.G., Handler G., Paunzen E., Rauth M. 855

Diffuse matter in space (including HII regions and planetary nebulae)

The HI gas kinetic temperature of high galactic latitude cirrus clouds
Stark R., Dickey J.M., Burton W.B., Wennmacher A. 199

An ammonia study of the Orion streamer
Cesaroni R., Wilson T.L. 209

Evidence for enhanced MHD turbulence outside sharp-rimmed supernova remnants
Achterberg A., Blandford R.D., Reynolds S.P. 220

(RN) Small non-spherical grains in envelopes of M giants
Il'in V.B. 486

A new young stellar object in the S 187 complex: photometry and spectroscopy
Zavagno A., Deharveng L., Caplan J. 491

The molecular surroundings of W3(OH)
Wink J.E., Duvert G., Guilloteau S., Güsten R., Walmsley C.M., Wilson T.L. 505

Diffuse interstellar bands in Orion. The environment dependence of DIB strength
Jenniskens P., Ehrenfreund P., Foing B. 517

Extinction-distances to planetary nebulae
Martin W. 526

Long-slit spectroscopy and direct imaging of the PMS objects GGD 33 and V 350 Cephei in NGC 7129
Miranda L.F., Eiroa C., Fernández M., Gómez de Castro A.I. 864

Very Long Baseline Interferometry of 1720 MHz masers in W3(OH)
Masheder M.R.W., Field D., Gray M.D., Migenes V., Cohen R.J., Booth R.S. 871

The exciting source of the Herbig-Haro 111 jet complex: VLA detection of a one-sided radio jet
Rodríguez L.F., Reipurth B. 882

The Sun

The SOLA method for helioseismic inversion
Pijpers F.P., Thompson M.J. 231

(RN) Secondary polar zone of prominence activity revealed from Lomnicky Štít observations
Dermendjiev V.N., Stavrev K.Y., Rušin V., Rybansky M. 241

(RN) The effect of non-equilibrium ionization on the O VI resonance doublet lines originating in the solar wind source regions
Spadaro D., Ventura R. 245

CFHT eclipse observation of the very fine-scale solar corona
Koutchmy S., Belmahdi M., Coulter R.L., Démoulin P., Gaizauskas V., MacQueen R.M., Monnet G., Mouette J., Noëns J.C., November L.J., Noyes R.W., Sime D.G., Smartt R.N., Sovka J., Vial J.C., Zimmermann J.P., Zirker J.B. 249

Acceleration of electrons outside flares: evidence for coronal evolution and height-extended energy release during noise storms
Raulin J.P., Klein K.-L. 536

On the p-mode spectrum of solar models
Gabriel M. 551

Influence of nonideal effects of dense plasma on solar interior opacity
Luo G. 561

Speckle imaging of solar small scale structure. II. Study of small scale structure in active regions
von der Lühe O. 889

Erratum The solar sunspot cycle in the Maunder minimum AD 1645 to AD 1715
Ribes J.C., Nesme-Ribes E. 968

The solar system

Application of asymptotic expressions for computing the polarized radiation in optically thick planetary atmospheres
Wauben W.M.F., de Haan J.F., Hovenier J.W. 258

Pole, albedo and shape of the minor planets 624 Hektor and 43 Ariadne: two tests for comparing four different pole determination methods
Detal A., Hainaut O., Pospieszalska-Surdej A., Schils P., Schober H.J., Surdej J. 269

Mutual phenomena of the Galilean satellites: an analysis of the 1991 observations from VBO
Vasundhara R. 565

(RN) Polarimetric observations of 51 Nemausa during its 1991 apparition
Broglia P., Manara A. 576

Cometary splitting – a source for the Jupiter family?
Pittich E.M., Rickman H. 579

The transfer of comets from parabolic orbits to short-period orbits: numerical studies
Fernández J.A., Gallardo T. 911

Celestial mechanics and astrometry

On the conversion of orbital elements from 1950.0 to J 2000
Lieske J.H. 281

Physical and chemical processes

Enhancement of the electron runaway flux with kinetic Alfvén waves
de Assis A.S., Leubner C. 588

Infrared spectroscopy of gas-phase PAH molecules. I. Role of the physical environment
Joblin C., d'Hendecourt L., Léger A., Défourneau D. 923

Kinetic theory of propagation and runaway galactic cosmic rays. II. Self-consistent model
Dogiel V.A., Gurevich A.V., Zybin K.P. 937

Instruments, data processing, and computational methods

Disentangling of composite spectra
Simon K.P., Sturm E. 286

Photometric calibration of the international Ultraviolet Explorer (IUE) for high resolution spectra
Cassatella A., Selvelli P.L., Ponz J.D., Gonzalez-Riestra R., Vogel M. 594

"Va-et-Vient" spectroscopy: a new mode for faint object CCD spectroscopy with very large telescopes
Cuillandre J.C., Fort B., Picat J.P., Soucail G., Altieri B., Beigbeder F., Dupin J.P., Pourthié T., Ratier G. 603

CAPELLA: software for stellar photometry in dense fields with an irregular background
Debray B., Llebaria A., Dubout-Crillon R., Petit M. 613

Recalibration of the Voyager PRA antenna for polarization sense measurement
Wang L., Carr T.D. 945

The influence of the stray light in the solar image on the Fraunhofer line profiles
Barducci A., Cavallini F., Ceppatelli G., Righini A. 955

(RN) A method for defining structures in the distribution of galaxies
Gurzadyan V.G., Harutyunyan V.V., Kocharyan A.A. 964

Abstracts of articles which have been published in A. & A. Suppl. Ser. 103, No. 1

uvby photometry of the magnetic chemically peculiar stars 63 Andromedae, HD 192913, HR 8240, and 108 Aquarii
Adelman S.J., Knox Jr J.R. 636

Hα velocity fields and rotation curves of galaxies in clusters
Amram P., Marcelin M., Balkowski C., Cayatte V., Sullivan III W.T., Le Coarer E. 636

Determining the size of the emission line region in Q2237+031 from microlensing
Saust A.B. 636

RT Leonis Minoris: a spotted W Ursae Majoris system
Niarchos P.G., Hoffmann M., Duerbeck H.W. 637

Far-infrared spectra of cosmic-type pure and mixed ices
Moore M.H., Hudson R.L. 637

Spectral coefficients of emission and absorption due to ion-atom radiation collisions in the solar atmosphere
Mihajlov A.A., Dimitrijević M.S., Ignjatović Lj., Djurić Z. 637

Evolutionary sequences for massive close binary stars with Magellanic Cloud metallicities with Rogers-Iglesias opacities
de Loore C., Vanbeveren D. 637

Line identifications in a fireball spectrum
Borovička J. 638

Grids of massive stars with high mass loss rates. V. From 12 to 120 $M_\odot$ at $Z = 0.001$, 0.004, 0.008, 0.020 and 0.040
Meynet G., Maeder A., Schaller G., Schaerer D., Charbonnel C. 638

86 GHz SiO, $v = 1, J = 2 \rightarrow 1$ survey of southern IRAS point sources. II. Detection of 74 new maser sources
Haikala L.K., Nyman L.-Å., Forsström V. 638

Sources of uncertainty in the relative scaling of spectroscopic data
Baribaud T., Salamanca I., Alloin D., Wagner S. 638

Observations of methanol masers at 95 GHz
Kalenskii S.V., Liljeström T., Val'tts I.E., Vasil'kov V.I., Slysh V.I., Urpo S. 639

A study of Be stars in the wavelength region around Paschen 7
Andrillat Y., Jaschek M., Jaschek C. 639

High-frequency radio continuum observations of radio galaxies with low and intermediate luminosity. II. Sources with sizes 4′ to 5′
Mack K.-H., Gregorini L., Parma P., Klein U. 639

Collected photometry of FK Comae Berenices
Jetsu L., Tuominen I., Antov A., Bopp B.W., Chugainov P.F., Grankin K.N., Linnaluoto S., Melnikov S.Y., Nations H.L., Panov K.P., Shevchenko V.S. 639

Spectral line identification of the ultraviolet spectrum of the peculiar post-AGB star HD 101584 (F0Iape)
Bakker E.J. 640

Papers accepted for publication in A.&A. (October 1993) 292

Papers accepted for publication in A.&A. (November 1993) 296

Papers accepted for publication in A.&A. (December 1993) 969